

Dernière page

Wonca Journal Watch

Synopses of articles from the medical literature relevant to family doctors, extracted from family medicine, general and specialist journals.

Severe psoriasis is associated with an increased risk of death

"They found that there was no overall effect of mild psoriasis on mortality (HR, 1.0), whereas patients with severe psoriasis demonstrated an increased overall mortality risk (HR, 1.5). The association of severe psoriasis with mortality persisted after adjustment for risk factors for mortality (HR, 1.4) and after exclusion of patients with inflammatory arthropathy (HR, 1.5). Male and female patients with severe psoriasis significantly died 3.5 and 4.4 years younger, respectively, than patients without psoriasis."

Gelfand JM, Troxel AB, Lewis JD, Kohli Kurd S, Shin DB, et al. The risk of mortality in patients with psoriasis. Arch Dermatol. 2007;143(12):1493-9. Available from: http://archderm.ama-assn.org/cgi/content/ abstract/143/12/1493

High prevalence of chronic kidney disease among acute medical admissions

The researchers concluded: "We have found a high prevalence of CKD Stages 3-5 (17.7%) among acute medical admissions, of whom 9.2% had a related anaemia. Our findings highlight an important opportunity (amongst the 1.9 million acute medical admissions annually in England) for detecting patients with CKD."

Annear NMP, Banerjee D, Joseph J, Harries ZH, Rahman S, Eastwood JB. Prevalence of chronic kidney disease stages 3–5 among acute medical admissions: another opportunity for screening. QJM. 2008;101(2):91-7. Available from: http:// qjmed.oxfordjournals.org/cgi/content/abstract/

Wonca clinical reviews

Outstanding review articles on topics relevant to family medicine derived after scanning over 190 family medicine, general and specialist journals.

Helping patients lose weight what works?

This article discusses the evidence base behind weight loss strategies for use in clinical practice.

• Egger G. Helping patients lose weight – what works? Australian Family Physician. 2008;37(1/2):20-3. Available from: http://www.racgp.org.au/afp/200801/22428.

Red eye for the internist: when to treat, when to refer

"The authors make the following key points:

• Blepharitis, conjunctivitis, corneal abrasion, dry eye, and subconjunctival hemorrhage are benign and can usually be managed initially by an internist, although referral is usually indicated if symptoms persist or progress.

- Patients with corneal bacterial infection, uveitis, scleritis, or acute narrow-angle glaucoma need immediate referral to an ophthalmologist, as do most patients with a red eye who use contact lenses, who have had trauma to the eye, or who have vision changes, severe pain, nausea, vomiting, severe headache, marked purulent discharge, abnormalities in the cornea or anterior segment.
- Because it is difficult to distinguish between infectious and noninfectious conditions, and because treating infections with corticosteroids alone can have grave consequences, we recommend that internists generally not use topical corticosteroids to treat eye symptoms."
- Galor A, Jeng BH. Red eye for the internist: when to treat, when to refer. Cleveland Clin J Med.2008; 75(2):137-44. Available from: http://www.ccjm.org/ ccjm_pdfs_toc/Feb08_Galor.pdf.

Journal Alerts is a free service from Global Family Doctor - Wonca Online. Enrol for Journal Alerts: http://www.globalfamilydoctor.com/ journalalerts/journalalerts.asp. Journal Alerts are sent by e-mail on Tuesdays, Wednesdays and Thursdays.

IMPRESSUM

Editions

EMH Editores Medicorum Helveticorum EMH Editions médicales suisses SA Farnsburgerstrasse 8, CH-4132 Muttenz tél. +41 (0)61 467 85 55 fax +41 (0)61 467 85 56 site internet http://www.emh.ch

Sociétés gestionnaires

Collège de médecine de premier recours Société Suisse de Médecine Générale Société Suisse de Médecine Interne Société Suisse de Pédiatrie Société Suisse de Médecine Psychosomatique et Psychosociale Académie de Médecine Psychosomatique et Psychosociale

Rédaction PrimaryCare

Joël Cuénod, Bruno Kissling, Danièle Lefebvre, Pierre Loeb, Franz Marty, Natalie Marty, Paul Meier, Rudolf Meyer, Stefan Neuner, Edy Riesen, Bernhard Rindlisbacher, Peter Tschudi, Daniel Widmer

Adresse de la rédaction

daction PrimaryCare EMH Editions médicales suisses SA Farnsburgerstrasse 8, CH-4132 Muttenz tél. +41 (0)61 467 85 54 fax +41 (0)61 467 85 56 E-Mail: primary-care@emh.ch Site web:www.primary-care.ch

Collaborateurs libres

Alex Ammann, Peter Schläppi

Lectorat

Christiane Hoffmann

Ariane Furrer, Assistante Placement des annonces, tél. +41 (0)61 467 85 88 fax +41 (0)61 467 85 56

Marketing EMH

Thomas Gierl M.A., Responsable marketing et communication tél. +41 (0)61 467 85 49 fax +41 (0)61 467 85 56 E-Mail: tgierl@emh.ch

Abonnements FMH

+41 (0)61 467 85 75, fax +41 (0)61 467 85 76 E-Mail: abo@emh.ch

Abonnement annuel CHF 125.– (port en plus)

Schwabe AG, Muttenz

ISSN 1424-3776 Portaît 20 fois par année

© 2008 by EMH Editions médicales suisses SA. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or be translated without prior permission, in writing, of the EMH.