

# Dernière page

☞ Vous n'avez pas besoin de recopier ces liens un par un sur votre ordinateur. Vous pouvez y accéder directement avec la liste qui se trouve sur le site de PrimaryCare sous Archives → Dernière page.

## Wonca Journal Watch

Synopses of articles from the medical literature relevant to family doctors, extracted from family medicine, general and specialist journals.

### The hazards of a smoking spouse

The researchers «found that having a spouse who currently smoked was associated with an increased risk of first stroke among never-smokers (hazard ratio=1.42) and former smokers (hazard ratio=1.72). Former smokers married to current smokers had a stroke risk similar to respondents who themselves smoked.

The researchers concluded: «Spousal smoking poses important stroke risks for never-smokers and former smokers. The health benefits of quitting smoking likely extend to both the individual smoker and his or her spouse.»

- Glymour MM, DeFries TB, Kawachi I, Avendano M. Spousal smoking and incidence of first stroke. Am J Prev Med. 2008;35(3):245–8.

### Patients insist on antibiotics for sinusitis?

#### Here is a good reason to say «no»

«Stop prescribing antibiotics for adults with a clinical diagnosis of acute sinusitis, unless the patient has severe symptoms. Antibio-

tics have little if any positive effects on the severity and duration of symptoms, and they cause adverse effects and create unnecessary expense.»

- Schumann SA, Hickner J, Ewigman B. Patients insist on antibiotics for sinusitis? Here is a good reason to say "no". J Fam Pract. 2008;57(7): 464–8. Available from: [http://www.jfponline.com/pdf%2F5707%2F5707JFP\\_PURLs.pdf](http://www.jfponline.com/pdf%2F5707%2F5707JFP_PURLs.pdf)

### Symptoms not spirometry predicts outcomes for mild COPD

To ascertain the long-term outcomes of individuals with mild chronic obstructive pulmonary disease (COPD) Swiss researchers followed a population cohort of 6671 randomly selected adults without asthma for 11 years. Individuals with symptomatic stage 1 COPD had a faster decline in FEV1, increased respiratory care utilisation and a lower quality of life than asymptomatic subjects with normal lung function. In contrast, individuals with asymptomatic stage 1 COPD had no significant differences in FEV1 decline, respiratory care utilisation or quality of life scores compared with the reference group.

The researchers concluded: «In population-based studies, respiratory symptoms are of major importance for predicting long-term clinical outcomes in subjects with COPD with mild obstruction. Population studies based on spirometry only may misestimate the prevalence of clinically relevant COPD.»

Conclusion of the reporter of the study: A blow for the advocates of spirometry screening for COPD, remembering that screening is testing asymptomatic persons.

- Bridevaux PO, Gerbase MW, Probst-Hensch NM, Schindler C, Gaspoz JM, Rochat T. Long-term decline in lung function, utilisation of care and quality of life in modified GOLD stage 1 COPD. Thorax. 2008;63(9):768–74.

## Health and Economic Implications of HPV Vaccination in the United States

«The cost-effectiveness of HPV vaccination will depend on the duration of vaccine immunity and will be optimized by achieving high coverage in preadolescent girls, targeting initial catch-up efforts to women up to 18 or 21 years of age, and revising screening policies.»

- Kim JJ, Goldie SJ. Health and economic implications of HPV vaccination in the United States. N Engl J Med. 2008;359(8):821–32. Available from: <http://content.nejm.org/cgi/reprint/359/8/821.pdf?ijkey=38f995c13404f04cd95deb7bf98097070fd2b44e>

Journal Alerts is a free service from Global Family Doctor – Wonca Online. Enrol for Journal Alerts: <http://www.globalfamilydoctor.com/journalalerts/journalalerts.asp>.

Journal Alerts are sent by e-mail on Tuesdays, Wednesdays and Thursdays.

## IMPRESSIONS

**Editions**  
EMH Editores Medicorum Helveticorum  
EMH Editions médicales suisses SA  
Farnsburgerstrasse 8,  
CH-4132 Muttenz  
tél. +41 (0)61 467 85 55  
fax +41 (0)61 467 85 56  
site internet <http://www.emh.ch>

**Sociétés gestionnaires**  
Collège de médecine de premier recours  
Société Suisse de Médecine Générale  
Société Suisse de Médecine Interne  
Société Suisse de Pédiatrie  
Académie Suisse de Médecine Psychosomatique et Psychosociale

**Rédaction PrimaryCare**  
Joël Cuénod, Bruno Kissling,  
Danièle Lefebvre, Pierre Loeb,  
Franz Marty, Natalie Marty, Paul Meier,  
Rudolf Meyer, Stefan Neuner, Jürg Pfisterer,  
Edy Riesen, Bernhard Rindlisbacher,  
Peter Tschudi, Daniel Widmer

**Adresse de la rédaction**  
Rédaction PrimaryCare  
EMH Editions médicales suisses SA  
Farnsburgerstrasse 8,  
CH-4132 Muttenz  
tél. +41 (0)61 467 85 54,  
fax +41 (0)61 467 85 56  
E-Mail: primary-care@emh.ch  
Site web: [www.primary-care.ch](http://www.primary-care.ch)

**Collaborateurs libres**  
Alex Ammann, Peter Schläppi

**Lectorat**  
Christiane Hoffmann

**annonces**  
Ariane Furrer, Assistante Placement  
des annonces, tél. +41 (0)61 467 85 88  
fax +41 (0)61 467 85 56  
E-Mail: afurrer@emh.ch

**Marketing EMH**  
Thomas Gierl M.A., Responsable  
marketing et communication  
tél. +41 (0)61 467 85 49  
fax +41 (0)61 467 85 56  
E-Mail: tgierl@emh.ch

**Abonnements EMH**  
tél. +41 (0)61 467 85 75, fax +41 (0)61 467 85 76  
E-Mail: abo@emh.ch

**Abonnement annuel**  
CHF 125.– (port en plus)

**Production**  
Schwabe AG, Muttenz  
ISSN 1424-3776      Paraît 20 fois par année

© 2008 by EMH Editions médicales suisses SA.  
All rights reserved. No part of this publication  
may be reproduced, stored in a retrieval system,  
or transmitted in any form or be translated without  
prior permission, in writing, of the EMH.